## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1	1.	(Currently Amended) A hand-held device for transferring a film onto a substrate,
2	said hand-held device comprising:	
3		a housing configured for accommodating a film supply; and
4		an application member projecting from said housing along a longitudinal axis;
5		wherein:
6		said application member has at least two application member portions movable
. 7	relative to eac	h other; and
.8		motion stops corresponding with each other are arranged at said movable
9	application me	ember portions, said stops bordering the relative movement between said movable
10	application me	ember portions,
11		wherein a cross-sectional reduction is provided between said movable application
12	member portions, and	
13		wherein said movable application member portions are formed by flat gibs placed
14	one behind the other.	
1	2.	(Original) A hand-held device as claimed in claim 1, wherein said motion stops
2	include at least	one pair of stops provided at an axial distance from each other.
1	3.	(Original) A hand-held device as claimed in claim 1, wherein said motion stops
2	include at least	one pair of stops provided directed towards the peripheral direction and at a distance
3	from each other	perpendicular to said longitudinal axis.
1	4.	(Original) A hand-held device as claimed in claim 1,
2		wherein said application member has an upper side, a bottom side, and side
3	surfaces; and	
4		at least one pair of stops is provided at at least one of said upper side, said bottom
5	side, or said si	de surfaces of said application member.

5.

1

(Canceled)

- 1 6. (Currently Amended) A hand-held device as claimed in claim 5 claim 1, wherein 2 said cross-sectional reduction is constituted by a gap.
- 7. (Original) A hand-held device as claimed in claim 6, wherein said gap has an axial width less than 2mm.
- 1 8. (Original) A hand-held device as claimed in claim 7, wherein said gap has an axial 2 width less than about 1mm.
- 9. (Currently Amended) A hand-held device as claimed in claim 5 claim 1, wherein said application member has a remaining cross-section at a coaxial position relative to said cross-
- 3 sectional reduction.
- 4 10. (Canceled)
- 5 11. (Currently Amended) A hand-held device as claimed in claim 10 claim 1, further 6 comprising lateral webs protruding upwards and/or downwards from both sides of the said flat gibs.
- 1 12. (Original) A hand-held device as claimed in claim 11, wherein said cross-sectional 2 reduction is provided in said lateral webs.
- 1 13. (Original) A hand-held device as claimed in claim 12, wherein said cross-sectional reduction also extends into a cross-sectional portion of said application member.
- 1 14. (Original) A hand-held device as claimed in claim 13, wherein said cross-sectional 2 reduction extends into the sides of said application member.
- 1 15. (Original) A hand-held device as claimed in claim 12, wherein said stops are formed by at least one of upper border, lower borders, or lateral borders of said lateral webs.
- 1 16. (Original) A hand-held device as claimed in claim 11, wherein said stops are 2 formed by at least one of upper border, lower borders, or lateral borders of said lateral webs.
- 1 17. (Currently Amended) A hand-held device as claimed in claim 1, for transferring a 2 film onto a substrate, said hand-held device comprising:
- 3 a housing configured for accommodating a film supply; and
- 4 <u>an application member projecting from said housing along a longitudinal axis;</u>
- 5 wherein:
- said application member has at least two application member portions movable relative to
  each other; and

8	motion stops corresponding with each other are arranged at said movable application		
9	member portions, said stops bordering the relative movement between said movable application		
10	member portions,		
11	wherein said movable application member portions are formed by flat gibs placed one		
12	behind the other,		
1	further comprising lateral webs protruding upwards and/or downwards from both sides of		
2	the said flat gibs, and		
3	wherein a cross-sectional reduction is provided in said lateral webs.		
1	18. & 19. (Canceled)		
2	20. (Currently Amended) A hand-held device as claimed in claim 19 claim 17,		
3	wherein said cross-sectional reduction also extends into a cross-sectional portion of said		
4	application member.		
- 1	21. (Currently Amended) A hand-held device as claimed in claim 18 claim 17,		
2	wherein said stops are formed by at least one of upper border, lower borders, or lateral borders of		
3	said lateral webs.		
1	22. (Original) A hand-held device as claimed in claim 1, wherein:		
2	said application member is formed by an application gib; and		
3	said movable application member portions are resiliently bendable and/or torsional		
4	relative to each other.		